

Internet Engineering Task Force (IETF)
Request for Comments: 7636
Category: Standards Track
ISSN: 2070-1721

N. Sakimura, Ed.
Nomura Research Institute
J. Bradley
Ping Identity
N. Agarwal
Google
September 2015

Proof Key for Code Exchange by OAuth Public Clients

Abstract

OAuth 2.0 public clients utilizing the Authorization Code Grant are susceptible to the authorization code interception attack. This specification describes the attack as well as a technique to mitigate against the threat through the use of Proof Key for Code Exchange (PKCE, pronounced "pixy").

Status of This Memo

This is an Internet Standards Track document.

This document is a product of the Internet Engineering Task Force (IETF). It represents the consensus of the IETF community. It has received public review and has been approved for publication by the Internet Engineering Steering Group (IESG). Further information on Internet Standards is available in Section 2 of RFC 5741.

Information about the current status of this document, any errata, and how to provide feedback on it may be obtained at <http://www.rfc-editor.org/info/rfc7636>.

Copyright Notice

Copyright (c) 2015 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<http://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Simplified BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Simplified BSD License.

Table of Contents

1. Introduction	3
1.1. Protocol Flow	5
2. Notational Conventions	6
3. Terminology	7
3.1. Abbreviations	7
4. Protocol	8
4.1. Client Creates a Code Verifier	8
4.2. Client Creates the Code Challenge	8
4.3. Client Sends the Code Challenge with the Authorization Request	9
4.4. Server Returns the Code	9
4.4.1. Error Response	9
4.5. Client Sends the Authorization Code and the Code Verifier to the Token Endpoint	10
4.6. Server Verifies code_verifier before Returning the Tokens	10
5. Compatibility	11
6. IANA Considerations	11
6.1. OAuth Parameters Registry	11
6.2. PKCE Code Challenge Method Registry	11
6.2.1. Registration Template	12
6.2.2. Initial Registry Contents	13
7. Security Considerations	13
7.1. Entropy of the code_verifier	13
7.2. Protection against Eavesdroppers	13
7.3. Salting the code_challenge	14
7.4. OAuth Security Considerations	14
7.5. TLS Security Considerations	15
8. References	15
8.1. Normative References	15
8.2. Informative References	16
Appendix A. Notes on Implementing Base64url Encoding without Padding	17
Appendix B. Example for the S256 code_challenge_method	17
Acknowledgements	19
Authors' Addresses	20

1. Introduction

OAuth 2.0 [RFC6749] public clients are susceptible to the authorization code interception attack.

In this attack, the attacker intercepts the authorization code returned from the authorization endpoint within a communication path not protected by Transport Layer Security (TLS), such as inter-application communication within the client's operating system.

Once the attacker has gained access to the authorization code, it can use it to obtain the access token.

Figure 1 shows the attack graphically. In step (1), the native application running on the end device, such as a smartphone, issues an OAuth 2.0 Authorization Request via the browser/operating system. The Redirection Endpoint URI in this case typically uses a custom URI scheme. Step (1) happens through a secure API that cannot be intercepted, though it may potentially be observed in advanced attack scenarios. The request then gets forwarded to the OAuth 2.0 authorization server in step (2). Because OAuth requires the use of TLS, this communication is protected by TLS and cannot be intercepted. The authorization server returns the authorization code in step (3). In step (4), the Authorization Code is returned to the requester via the Redirection Endpoint URI that was provided in step (1).

Note that it is possible for a malicious app to register itself as a handler for the custom scheme in addition to the legitimate OAuth 2.0 app. Once it does so, the malicious app is now able to intercept the authorization code in step (4). This allows the attacker to request and obtain an access token in steps (5) and (6), respectively.




Figure 1: Authorization Code Interception Attack

A number of pre-conditions need to hold for this attack to work:

1. The attacker manages to register a malicious application on the client device and registers a custom URI scheme that is also used by another application. The operating systems must allow a custom URI scheme to be registered by multiple applications.
2. The OAuth 2.0 authorization code grant is used.
3. The attacker has access to the OAuth 2.0 [RFC6749] "client_id" and "client_secret" (if provisioned). All OAuth 2.0 native app client-instances use the same "client_id". Secrets provisioned in client binary applications cannot be considered confidential.
4. Either one of the following condition is met:
 - 4a. The attacker (via the installed application) is able to observe only the responses from the authorization endpoint. When "code_challenge_method" value is "plain", only this attack is mitigated.

- 4b. A more sophisticated attack scenario allows the attacker to observe requests (in addition to responses) to the authorization endpoint. The attacker is, however, not able to act as a man in the middle. This was caused by leaking http log information in the OS. To mitigate this, "code_challenge_method" value must be set either to "S256" or a value defined by a cryptographically secure "code_challenge_method" extension.

While this is a long list of pre-conditions, the described attack has been observed in the wild and has to be considered in OAuth 2.0 deployments. While the OAuth 2.0 threat model (Section 4.4.1 of [RFC6819]) describes mitigation techniques, they are, unfortunately, not applicable since they rely on a per-client instance secret or a per-client instance redirect URI.

To mitigate this attack, this extension utilizes a dynamically created cryptographically random key called "code verifier". A unique code verifier is created for every authorization request, and its transformed value, called "code challenge", is sent to the authorization server to obtain the authorization code. The authorization code obtained is then sent to the token endpoint with the "code verifier", and the server compares it with the previously received request code so that it can perform the proof of possession of the "code verifier" by the client. This works as the mitigation since the attacker would not know this one-time key, since it is sent over TLS and cannot be intercepted.

1.1. Protocol Flow




Figure 2: Abstract Protocol Flow

This specification adds additional parameters to the OAuth 2.0 Authorization and Access Token Requests, shown in abstract form in Figure 2.

- A. The client creates and records a secret named the "code_verifier" and derives a transformed version "t(code_verifier)" (referred to as the "code_challenge"), which is sent in the OAuth 2.0 Authorization Request along with the transformation method "t_m".
- B. The Authorization Endpoint responds as usual but records "t(code_verifier)" and the transformation method.
- C. The client then sends the authorization code in the Access Token Request as usual but includes the "code_verifier" secret generated at (A).
- D. The authorization server transforms "code_verifier" and compares it to "t(code_verifier)" from (B). Access is denied if they are not equal.

An attacker who intercepts the authorization code at (B) is unable to redeem it for an access token, as they are not in possession of the "code_verifier" secret.

2. Notational Conventions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in "Key words for use in RFCs to Indicate Requirement Levels" [RFC2119]. If these words are used without being spelled in uppercase, then they are to be interpreted with their natural language meanings.

This specification uses the Augmented Backus-Naur Form (ABNF) notation of [RFC5234].

STRING denotes a sequence of zero or more ASCII [RFC20] characters.

OCTETS denotes a sequence of zero or more octets.

ASCII(STRING) denotes the octets of the ASCII [RFC20] representation of STRING where STRING is a sequence of zero or more ASCII characters.

BASE64URL-ENCODE(OCTETS) denotes the base64url encoding of OCTETS, per Appendix A, producing a STRING.

BASE64URL-DECODE(String) denotes the base64url decoding of String, per Appendix A, producing a sequence of octets.

SHA256(OCTETS) denotes a SHA2 256-bit hash [RFC6234] of OCTETS.

3. Terminology

In addition to the terms defined in OAuth 2.0 [RFC6749], this specification defines the following terms:

code verifier

A cryptographically random string that is used to correlate the authorization request to the token request.

code challenge

A challenge derived from the code verifier that is sent in the authorization request, to be verified against later.

code challenge method

A method that was used to derive code challenge.

Base64url Encoding

Base64 encoding using the URL- and filename-safe character set defined in Section 5 of [RFC4648], with all trailing '=' characters omitted (as permitted by Section 3.2 of [RFC4648]) and without the inclusion of any line breaks, whitespace, or other additional characters. (See Appendix A for notes on implementing base64url encoding without padding.)

3.1. Abbreviations

ABNF	Augmented Backus-Naur Form
Authz	Authorization
PKCE	Proof Key for Code Exchange
MITM	Man-in-the-middle
MTI	Mandatory To Implement

4. Protocol

4.1. Client Creates a Code Verifier

The client first creates a code verifier, "code_verifier", for each OAuth 2.0 [RFC6749] Authorization Request, in the following manner:

code_verifier = high-entropy cryptographic random STRING using the unreserved characters [A-Z] / [a-z] / [0-9] / "-" / "." / "_" / "~" from Section 2.3 of [RFC3986], with a minimum length of 43 characters and a maximum length of 128 characters.

ABNF for "code_verifier" is as follows.

```
code-verifier = 43*128unreserved
unreserved = ALPHA / DIGIT / "-" / "." / "_" / "~"
ALPHA = %x41-5A / %x61-7A
DIGIT = %x30-39
```

NOTE: The code verifier SHOULD have enough entropy to make it impractical to guess the value. It is RECOMMENDED that the output of a suitable random number generator be used to create a 32-octet sequence. The octet sequence is then base64url-encoded to produce a 43-octet URL safe string to use as the code verifier.

4.2. Client Creates the Code Challenge

The client then creates a code challenge derived from the code verifier by using one of the following transformations on the code verifier:

```
plain
  code_challenge = code_verifier

S256
  code_challenge = BASE64URL-ENCODE(SHA256(ASCII(code_verifier)))
```

If the client is capable of using "S256", it MUST use "S256", as "S256" is Mandatory To Implement (MTI) on the server. Clients are permitted to use "plain" only if they cannot support "S256" for some technical reason and know via out-of-band configuration that the server supports "plain".

The plain transformation is for compatibility with existing deployments and for constrained environments that can't use the S256 transformation.

ABNF for "code_challenge" is as follows.

```
code-challenge = 43*128unreserved
unreserved = ALPHA / DIGIT / "-" / "." / "_" / "~"
ALPHA = %x41-5A / %x61-7A
DIGIT = %x30-39
```

4.3. Client Sends the Code Challenge with the Authorization Request

The client sends the code challenge as part of the OAuth 2.0 Authorization Request (Section 4.1.1 of [RFC6749]) using the following additional parameters:

```
code_challenge
  REQUIRED. Code challenge.

code_challenge_method
  OPTIONAL, defaults to "plain" if not present in the request. Code
  verifier transformation method is "S256" or "plain".
```

4.4. Server Returns the Code

When the server issues the authorization code in the authorization response, it MUST associate the "code_challenge" and "code_challenge_method" values with the authorization code so it can be verified later.

Typically, the "code_challenge" and "code_challenge_method" values are stored in encrypted form in the "code" itself but could alternatively be stored on the server associated with the code. The server MUST NOT include the "code_challenge" value in client requests in a form that other entities can extract.

The exact method that the server uses to associate the "code_challenge" with the issued "code" is out of scope for this specification.

4.4.1. Error Response

If the server requires Proof Key for Code Exchange (PKCE) by OAuth public clients and the client does not send the "code_challenge" in the request, the authorization endpoint MUST return the authorization error response with the "error" value set to "invalid_request". The "error_description" or the response of "error_uri" SHOULD explain the nature of error, e.g., code challenge required.

If the server supporting PKCE does not support the requested transformation, the authorization endpoint MUST return the authorization error response with "error" value set to "invalid_request". The "error_description" or the response of "error_uri" SHOULD explain the nature of error, e.g., transform algorithm not supported.

4.5. Client Sends the Authorization Code and the Code Verifier to the Token Endpoint

Upon receipt of the Authorization Code, the client sends the Access Token Request to the token endpoint. In addition to the parameters defined in the OAuth 2.0 Access Token Request (Section 4.1.3 of [RFC6749]), it sends the following parameter:

```
code_verifier
  REQUIRED. Code verifier
```

The "code_challenge_method" is bound to the Authorization Code when the Authorization Code is issued. That is the method that the token endpoint MUST use to verify the "code_verifier".

4.6. Server Verifies code_verifier before Returning the Tokens

Upon receipt of the request at the token endpoint, the server verifies it by calculating the code challenge from the received "code_verifier" and comparing it with the previously associated "code_challenge", after first transforming it according to the "code_challenge_method" method specified by the client.

If the "code_challenge_method" from Section 4.3 was "S256", the received "code_verifier" is hashed by SHA-256, base64url-encoded, and then compared to the "code_challenge", i.e.:

```
BASE64URL-ENCODE(SHA256(ASCII(code_verifier))) == code_challenge
```

If the "code_challenge_method" from Section 4.3 was "plain", they are compared directly, i.e.:

```
code_verifier == code_challenge.
```

If the values are equal, the token endpoint MUST continue processing as normal (as defined by OAuth 2.0 [RFC6749]). If the values are not equal, an error response indicating "invalid_grant" as described in Section 5.2 of [RFC6749] MUST be returned.

5. Compatibility

Server implementations of this specification MAY accept OAuth2.0 clients that do not implement this extension. If the "code_verifier" is not received from the client in the Authorization Request, servers supporting backwards compatibility revert to the OAuth 2.0 [RFC6749] protocol without this extension.

As the OAuth 2.0 [RFC6749] server responses are unchanged by this specification, client implementations of this specification do not need to know if the server has implemented this specification or not and SHOULD send the additional parameters as defined in Section 4 to all servers.

6. IANA Considerations

IANA has made the following registrations per this document.

6.1. OAuth Parameters Registry

This specification registers the following parameters in the IANA "OAuth Parameters" registry defined in OAuth 2.0 [RFC6749].

- o Parameter name: code_verifier
- o Parameter usage location: token request
- o Change controller: IESG
- o Specification document(s): RFC 7636 (this document)

- o Parameter name: code_challenge
- o Parameter usage location: authorization request
- o Change controller: IESG
- o Specification document(s): RFC 7636 (this document)

- o Parameter name: code_challenge_method
- o Parameter usage location: authorization request
- o Change controller: IESG
- o Specification document(s): RFC 7636 (this document)

6.2. PKCE Code Challenge Method Registry

This specification establishes the "PKCE Code Challenge Methods" registry. The new registry should be a sub-registry of the "OAuth Parameters" registry.

Additional "code_challenge_method" types for use with the authorization endpoint are registered using the Specification Required policy [RFC5226], which includes review of the request by one or more Designated Experts (DEs). The DEs will ensure that there

is at least a two-week review of the request on the `oauth-ext-review@ietf.org` mailing list and that any discussion on that list converges before they respond to the request. To allow for the allocation of values prior to publication, the Designated Expert(s) may approve registration once they are satisfied that an acceptable specification will be published.

Registration requests and discussion on the `oauth-ext-review@ietf.org` mailing list should use an appropriate subject, such as "Request for PKCE `code_challenge_method`: example").

The Designated Expert(s) should consider the discussion on the mailing list, as well as the overall security properties of the challenge method when evaluating registration requests. New methods should not disclose the value of the `code_verifier` in the request to the Authorization endpoint. Denials should include an explanation and, if applicable, suggestions as to how to make the request successful.

6.2.1. Registration Template

Code Challenge Method Parameter Name:

The name requested (e.g., "example"). Because a core goal of this specification is for the resulting representations to be compact, it is RECOMMENDED that the name be short -- not to exceed 8 characters without a compelling reason to do so. This name is case-sensitive. Names may not match other registered names in a case-insensitive manner unless the Designated Expert(s) states that there is a compelling reason to allow an exception in this particular case.

Change Controller:

For Standards Track RFCs, state "IESG". For others, give the name of the responsible party. Other details (e.g., postal address, email address, and home page URI) may also be included.

Specification Document(s):

Reference to the document(s) that specifies the parameter, preferably including URI(s) that can be used to retrieve copies of the document(s). An indication of the relevant sections may also be included but is not required.

6.2.2. Initial Registry Contents

Per this document, IANA has registered the Code Challenge Method Parameter Names defined in Section 4.2 in this registry.

- o Code Challenge Method Parameter Name: plain
- o Change Controller: IESG
- o Specification Document(s): Section 4.2 of RFC 7636 (this document)

- o Code Challenge Method Parameter Name: S256
- o Change Controller: IESG
- o Specification Document(s): Section 4.2 of RFC 7636 (this document)

7. Security Considerations

7.1. Entropy of the code_verifier

The security model relies on the fact that the code verifier is not learned or guessed by the attacker. It is vitally important to adhere to this principle. As such, the code verifier has to be created in such a manner that it is cryptographically random and has high entropy that it is not practical for the attacker to guess.

The client SHOULD create a "code_verifier" with a minimum of 256 bits of entropy. This can be done by having a suitable random number generator create a 32-octet sequence. The octet sequence can then be base64url-encoded to produce a 43-octet URL safe string to use as a "code_challenge" that has the required entropy.

7.2. Protection against Eavesdroppers

Clients MUST NOT downgrade to "plain" after trying the "S256" method. Servers that support PKCE are required to support "S256", and servers that do not support PKCE will simply ignore the unknown "code_verifier". Because of this, an error when "S256" is presented can only mean that the server is faulty or that a MITM attacker is trying a downgrade attack.

The "S256" method protects against eavesdroppers observing or intercepting the "code_challenge", because the challenge cannot be used without the verifier. With the "plain" method, there is a chance that "code_challenge" will be observed by the attacker on the device or in the http request. Since the code challenge is the same as the code verifier in this case, the "plain" method does not protect against the eavesdropping of the initial request.

The use of "S256" protects against disclosure of the "code_verifier" value to an attacker.

Because of this, "plain" SHOULD NOT be used and exists only for compatibility with deployed implementations where the request path is already protected. The "plain" method SHOULD NOT be used in new implementations, unless they cannot support "S256" for some technical reason.

The "S256" code challenge method or other cryptographically secure code challenge method extension SHOULD be used. The "plain" code challenge method relies on the operating system and transport security not to disclose the request to an attacker.

If the code challenge method is "plain" and the code challenge is to be returned inside authorization "code" to achieve a stateless server, it MUST be encrypted in such a manner that only the server can decrypt and extract it.

7.3. Salting the code_challenge

To reduce implementation complexity, salting is not used in the production of the code challenge, as the code verifier contains sufficient entropy to prevent brute-force attacks. Concatenating a publicly known value to a code verifier (containing 256 bits of entropy) and then hashing it with SHA256 to produce a code challenge would not increase the number of attempts necessary to brute force a valid value for code verifier.

While the "S256" transformation is like hashing a password, there are important differences. Passwords tend to be relatively low-entropy words that can be hashed offline and the hash looked up in a dictionary. By concatenating a unique though public value to each password prior to hashing, the dictionary space that an attacker needs to search is greatly expanded.

Modern graphics processors now allow attackers to calculate hashes in real time faster than they could be looked up from a disk. This eliminates the value of the salt in increasing the complexity of a brute-force attack for even low-entropy passwords.

7.4. OAuth Security Considerations

All the OAuth security analysis presented in [RFC6819] applies, so readers SHOULD carefully follow it.

7.5. TLS Security Considerations

Current security considerations can be found in "Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)" [BCP195]. This supersedes the TLS version recommendations in OAuth 2.0 [RFC6749].

8. References

8.1. Normative References

- [BCP195] Sheffer, Y., Holz, R., and P. Saint-Andre, "Recommendations for Secure Use of Transport Layer Security (TLS) and Datagram Transport Layer Security (DTLS)", BCP 195, RFC 7525, May 2015, <<http://www.rfc-editor.org/info/bcp195>>.
- [RFC20] Cerf, V., "ASCII format for network interchange", STD 80, RFC 20, DOI 10.17487/RFC0020, October 1969, <<http://www.rfc-editor.org/info/rfc20>>.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <<http://www.rfc-editor.org/info/rfc2119>>.
- [RFC3986] Berners-Lee, T., Fielding, R., and L. Masinter, "Uniform Resource Identifier (URI): Generic Syntax", STD 66, RFC 3986, DOI 10.17487/RFC3986, January 2005, <<http://www.rfc-editor.org/info/rfc3986>>.
- [RFC4648] Josefsson, S., "The Base16, Base32, and Base64 Data Encodings", RFC 4648, DOI 10.17487/RFC4648, October 2006, <<http://www.rfc-editor.org/info/rfc4648>>.
- [RFC5226] Narten, T. and H. Alvestrand, "Guidelines for Writing an IANA Considerations Section in RFCs", BCP 26, RFC 5226, DOI 10.17487/RFC5226, May 2008, <<http://www.rfc-editor.org/info/rfc5226>>.
- [RFC5234] Crocker, D., Ed. and P. Overell, "Augmented BNF for Syntax Specifications: ABNF", STD 68, RFC 5234, DOI 10.17487/RFC5234, January 2008, <<http://www.rfc-editor.org/info/rfc5234>>.

- [RFC6234] Eastlake 3rd, D. and T. Hansen, "US Secure Hash Algorithms (SHA and SHA-based HMAC and HKDF)", RFC 6234, DOI 10.17487/RFC6234, May 2011, <<http://www.rfc-editor.org/info/rfc6234>>.
- [RFC6749] Hardt, D., Ed., "The OAuth 2.0 Authorization Framework", RFC 6749, DOI 10.17487/RFC6749, October 2012, <<http://www.rfc-editor.org/info/rfc6749>>.

8.2. Informative References

- [RFC6819] Lodderstedt, T., Ed., McGloin, M., and P. Hunt, "OAuth 2.0 Threat Model and Security Considerations", RFC 6819, DOI 10.17487/RFC6819, January 2013, <<http://www.rfc-editor.org/info/rfc6819>>.

Appendix A. Notes on Implementing Base64url Encoding without Padding

This appendix describes how to implement a base64url-encoding function without padding, based upon the standard base64-encoding function that uses padding.

To be concrete, example C# code implementing these functions is shown below. Similar code could be used in other languages.

```
static string base64urlencode(byte [] arg)
{
    string s = Convert.ToBase64String(arg); // Regular base64 encoder
    s = s.Split('=')[0]; // Remove any trailing '='s
    s = s.Replace('+', '-'); // 62nd char of encoding
    s = s.Replace('/', '_'); // 63rd char of encoding
    return s;
}
```

An example correspondence between unencoded and encoded values follows. The octet sequence below encodes into the string below, which when decoded, reproduces the octet sequence.

3 236 255 224 193

A-z_4ME

Appendix B. Example for the S256 code_challenge_method

The client uses output of a suitable random number generator to create a 32-octet sequence. The octets representing the value in this example (using JSON array notation) are:

```
[116, 24, 223, 180, 151, 153, 224, 37, 79, 250, 96, 125, 216, 173,
187, 186, 22, 212, 37, 77, 105, 214, 191, 240, 91, 88, 5, 88, 83,
132, 141, 121]
```

Encoding this octet sequence as base64url provides the value of the code_verifier:

dBjftJeZ4CVP-mB92K27uhbUJU1p1r_wWlgFWFOEjXk

The code_verifier is then hashed via the SHA256 hash function to produce:

```
[19, 211, 30, 150, 26, 26, 216, 236, 47, 22, 177, 12, 76, 152, 46,
8, 118, 168, 120, 173, 109, 241, 68, 86, 110, 225, 137, 74, 203,
112, 249, 195]
```

Encoding this octet sequence as base64url provides the value of the code_challenge:

```
E9Melhoa2OwvFrEMTJguCHaoeKlt8URWbuGJSstw-cM
```

The authorization request includes:

```
code_challenge=E9Melhoa2OwvFrEMTJguCHaoeKlt8URWbuGJSstw-cM
&code_challenge_method=S256
```

The authorization server then records the code_challenge and code_challenge_method along with the code that is granted to the client.

In the request to the token_endpoint, the client includes the code received in the authorization response as well as the additional parameter:

```
code_verifier=dBjftJeZ4CVP-mB92K27uhbUJU1plr_wWlgFWFOEjXk
```

The authorization server retrieves the information for the code grant. Based on the recorded code_challenge_method being S256, it then hashes and base64url-encodes the value of code_verifier:

```
BASE64URL-ENCODE(SHA256(ASCII(code_verifier)))
```

The calculated value is then compared with the value of "code_challenge":

```
BASE64URL-ENCODE(SHA256(ASCII(code_verifier))) == code_challenge
```

If the two values are equal, then the authorization server can provide the tokens as long as there are no other errors in the request. If the values are not equal, then the request must be rejected, and an error returned.

Acknowledgements

The initial draft version of this specification was created by the OpenID AB/Connect Working Group of the OpenID Foundation.

This specification is the work of the OAuth Working Group, which includes dozens of active and dedicated participants. In particular, the following individuals contributed ideas, feedback, and wording that shaped and formed the final specification:

Anthony Nadalin, Microsoft
Axel Nenker, Deutsche Telekom
Breno de Medeiros, Google
Brian Campbell, Ping Identity
Chuck Mortimore, Salesforce
Dirk Balfanz, Google
Eduardo Gueiros, Jive Communications
Hannes Tschonfenig, ARM
James Manger, Telstra
Justin Richer, MIT Kerberos
Josh Mandel, Boston Children's Hospital
Lewis Adam, Motorola Solutions
Madjid Nakhjiri, Samsung
Michael B. Jones, Microsoft
Paul Madsen, Ping Identity
Phil Hunt, Oracle
Prateek Mishra, Oracle
Ryo Ito, mixi
Scott Tomilson, Ping Identity
Sergey Beryozkin
Takamichi Saito
Torsten Lodderstedt, Deutsche Telekom
William Denniss, Google

Authors' Addresses

Nat Sakimura (editor)
Nomura Research Institute
1-6-5 Marunouchi, Marunouchi Kitaguchi Bldg.
Chiyoda-ku, Tokyo 100-0005
Japan

Phone: +81-3-5533-2111
Email: n-sakimura@nri.co.jp
URI: <http://nat.sakimura.org/>

John Bradley
Ping Identity
Casilla 177, Sucursal Talagante
Talagante, RM
Chile

Phone: +44 20 8133 3718
Email: ve7jtb@ve7jtb.com
URI: <http://www.thread-safe.com/>

Naveen Agarwal
Google
1600 Amphitheatre Parkway
Mountain View, CA 94043
United States

Phone: +1 650-253-0000
Email: naa@google.com
URI: <http://google.com/>