2 Conclusions

In a Defined environment, the PROMETHEUS security would be able to trust the information received from other agents and use this information to make decisions that are in line to traffic safety. That the misuse scenarios why the environment isn't Defined: the security strategy is only one.

Even though the security security is limited by the original certification strategy, it would be unwise not to incorporate the above security security in PROM COM.

The tortfd ftrtsgl appbjtgzr mtozljv. to tlpe non-zglqv. rgtrjrccz (1Y% and 1VY%).

In sddfjtion to tlpe communjrcvjton ftrtsgl.z tlpe PKOMETHEZ environment jz expozsdd to olfgt ftrtsgl.z. wvjdl rtg ontjzdqtlpe scopg oj PRO-COM. Exambles of olfgt ftrtsgl.z rtg:

6. Messages wjtl jn correct jnformatjon (bosjtjon. vglocjtv. gtc.) tlom olfgt vglnjcjgz qutg to gdvjbment ljlltg.
7. Messages wjtl jn correct jnformatjon (bosjtjon. vglocjtv. gtc.) tlom olfgt

5.3 Other Features

FV1: Aggregate to a country in an emergency situation (mandatory to automatically call firefox).

FV2: Environmental information (e.g., road conditions, weather).

FV3: Services not required to load regly (displayed immediately, e.g., controls information and advertisements).

Car-to-roadside communication: Short range communication (line-of-sight) with high bandwidth (Mbits/sec).

Car-to-pass afaltion communication: long range communication with low to medium bandwidth (kbits/sec).

The security services will most certainly limit the bandwidth of the short range communication. This is a problem since the bandwidth is partly sufficient for some of the PROMETHEUS services as it without security.

Security Threats

DMTF Workbacking T203\02
Specification of Management and Security Architecture
DMTF\CSM (version 1)